

How to connect Eaton's EV smart breaker with the Brightlayer Home app

Step 1
Install EV charger



Ensure that the EV charger is installed and powered up.

Refer to the instructions in the box.

Always use a qualified electrician.

Step 2Download the app and create an account



Download the Brightlayer Home app on the Apple App Store or Google Play Store.

Create an account and verify it with an active email address.

Log in at the home page.







Google Play install

iOS insta

Step 3Create Home



Once account registration is successful. Select 'Create Home'.



Create a name for your Home.



Add your location.



Select an icon.

Step 4

Add new breaker











Select 'ADD A DEVICE'.

Select device type as EV charger.

Select Wi-Fi network.

Type in your Wi-Fi credentials.

Step 5Enable BlinkUp







After reading the instructions on the phone, touch the "START BLINKUP" button.



After reading the Warning message, touch "Continue to BlinkUp", then place your phone's screen AGAINST the Network Status LED on the EV smart breaker until your phone vibrates and beeps.




Note: Do NOT look at the screen during BlinkUp. This should take no more than 90 seconds. If your device is already blinking orange, it failed to connect. Touch the "CANCEL" button to try to connect again.

Step 5

Add device details







Once the BlinkUp process is complete, you will be notified when the device is successfully connected to the Wi-Fi network.



You should now see the EV charger in the Device tab.



Note: In the case your EV smart breaker does not connect, review the troubleshooting information.

 Check you entered the correct Wi-Fi credentials.

Note: These can be case sensitive.

- Ensure your phone is touching the EV smart breaker during BlinkUp process until your phone vibrates.
- If problems persist contact BLsupport@ eaton.com or the Eaton Technical Resource Center at 1-877-ETN-CARE (386-2273) option 2, option 9 for further assistance.